**** CONFIDENTIAL **** ****PRE-DECISIONAL DOCUMENT **** **** SUMMARY SCORESHEET **** **** FOR COMPUTING PROJECTED HRS SCORE ****

**** Do Not Cite or Quote ****

Site Name: Avon Products Inc

Region: Region 2

Scenario Name: Actual Score

City, County, State:

Caguas, Puerto Rico

Evaluator: Dan Carlson

EPA ID#: PR0000834523

Date: 06/15/2011

Lat/Long: 18:18:8,-66:3:54

Congressional District:

This Scoresheet is for: Combined PA/SI

Scenario Name: Actual Score

Description: No on-site sources

φ.	S pathway	S ² pathway
Ground Water Migration Pathway Score (Sgw)	0.0	0.0
Surface Water Migration Pathway Score (S _{sw})	0.0	0.0
Soil Exposure Pathway Score (S _s)	0.0	0.0
Air Migration Score (Sa)	0.0	0.0
$S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2$		0.0
$(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4$		0.0
$/(S_{gw}^2 + S_{sw}^2 + S_s^2 + S_a^2)/4$		0.0

Pathways not assigned a score (explain):

DECLASSIFIED

Date: Initial:

Table 3-1 Ground Water Migration Pathwa	AY SCORESHEET		
Factor categories and factors	Maximum Value	Value /	Assigned
Aquifer Evaluated: Caguas-Juncos Alluvial Aquifer			
Likelihood of Release to an Aquifer:			
1. Observed Release	550	0.0	
2. Potential to Release:			
2a. Containment	10	10.0	
2b. Net Precipitation	10	10.0	
2c. Depth to Aquifer	5	5.0	
2d. Travel Time	35	15.0	
2e. Potential to Release [lines 2a(2b + 2c + 2d)]	500	300.0	
3. Likelihood of Release (higher of lines 1 and 2e)	550		300.0
Waste Characteristics:			
4. Toxicity/Mobility	(a)	0.0	
5. Hazardous Waste Quantity	(a)	10.0	
6. Waste Characteristics	100		0.0
Targets:			
7. Nearest Well	(b)	2.0	
8. Population:	` '		
8a. Level I Concentrations	(b)	0.0	
8b. Level II Concentrations	(b)	0.0	
8c. Potential Contamination	(b)	0.0	
8d. Population (lines 8a + 8b + 8c)	(b)	0.0	
9. Resources	5	0.0	
10. Wellhead Protection Area	20	5.0	
11. Targets (lines 7 + 8d + 9 + 10)	(b)		7.0
Ground Water Migration Score for an Aquifer:	(*/		7.0
12. Aquifer Score [(lines 3 x 6 x 11)/82,5000] ^c	100		0.0
	100		0.0
Ground Water Migration Pathway Score:			
13. Pathway Score (S _{gw}), (highest value from line 12 for all aquifers evaluated) ^c	100		0.0

a Maximum value applies to waste characteristics category
b Maximum value not applicable
c Do not round to nearest integer

Contagnation and factors	ONENT SCORESHEE		anian ad
Factor categories and factors	Maximum Value	Value A	Assigned
Watershed Evaluated: Quebrada Arena	,		
Drinking Water Threat			
ikelihood of Release:	550	0.0	
1. Observed Release	550	0.0	
Potential to Release by Overland Flow:	40	40.0	
2a. Containment	10	10.0	
2b. Runoff	10	1.0	
2c. Distance to Surface Water	5	25.0 260.0	
2d. Potential to Release by Overland Flow [lines 2a(2b + 2c)]	35	260.0	
3. Potential to Release by Flood:	40	10.0	
3a. Containment (Flood)	10	10.0	
3b. Flood Frequency	50	0.0	
3c. Potential to Release by Flood (lines 3a x 3b)	500	0.0	
4. Potential to Release (lines 2d + 3c, subject to a maximum of 500)	500	260.0	
5. Likelihood of Release (higher of lines 1 and 4)	550		260.0
Vaste Characteristics:			
6. Toxicity/Persistence	(a)	0.0	
7. Hazardous Waste Quantity	(a)	10.0	
8. Waste Characteristics	100		0.0
argets:			
9. Nearest Intake	50	0.0	
10. Population:			
10a. Level I Concentrations	(b)	0.0	
10b. Level II Concentrations	(b)	0.0	
10c. Potential Contamination	(b)	52.1	
10d. Population (lines 10a + 10b + 10c)	(b)	52.1	
11. Resources	5	5.0	
12. Targets (lines 9 + 10d + 11)	(b)		57.1
rinking Water Threat Score:	` '		
13. Drinking Water Threat Score [(lines 5x8x12)/82,500, subject to a max of 100]	100		0.0
Human Food Chain Threat			
.ikelihood of Release:	ren		000.0
14. Likelihood of Release (same value as line 5)	550		260.0
Naste Characteristics:		0000	
15. Toxicity/Persistence/Bioaccumulation	(a)	2000.0	
16. Hazardous Waste Quantity	(a)	10.0	
17. Waste Characteristics	1000		10.0
Targets:			•
18. Food Chain Individual	50	0.0	
19. Population			
19a. Level I Concentration	(b)	0.0	
19b. Level II Concentration	(b)	0.0	
19c. Potential Human Food Chain Contamination	(b)	0.0	
19d. Population (lines 19a + 19b + 19c)	(b)	0.0	
20. Targets (lines 18 + 19d)	(b)		0.0
uman Food Chain Threat Score:			
21. Human Food Chain Threat Score [(lines 14x17x20)/82500, subject to max of 10 Environmental Threat	00] 100		0.0
ikelihood of Release:			
22. Likelihood of Release (same value as line 5)	550		000.0
	550		260.0
Vaste Characteristics:		•	
23. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)	0.0	
24. Hazardous Waste Quantity 25. Waste Characteristics	(a)	10.0	
	1000		0.0

Targets:

· ··· y - ·-·			
26. Sensitive Environments			
26a. Level I Concentrations	(b)	0.0	
26b. Level II Concentrations	(b)	0.0	
26c. Potential Contamination	(b)	7.5	
26d. Sensitive Environments (lines 26a + 26b + 26c)	(b)	7.5	
27. Targets (value from line 26d)	(b)		7.5
Environmental Threat Score:			
28. Environmental Threat Score [(lines 22x25x27)/82,500 subject to a max of 60]	60		0.0
Surface Water Overland/Flood Migration Component Score for a Watershed			
29. Watershed Score ^c (lines 13+21+28, subject to a max of 100)	100		0.00
Surface Water Overland/Flood Migration Component Score			
30. Component Score (S _{sw}) ^c (highest score from line 29 for all watersheds evaluated)	100		0

a Maximum value applies to waste characteristics category
b Maximum value not applicable
c Do not round to nearest integer

Factor categories and factors	Maximum Value	Value A	ssigned
Watershed Evaluated: Quebrada Arena	Maximum Value	value A	ssigi i d u
Drinking Water Threat	,		
ikelihood of Release to an Aquifer:			
1. Observed Release	550	0.0	
2. Potential to Release:	330	0.0	
2a. Containment	10	0.0	
2b. Net Precipitation	10	0.0	
·		0.0	
2c. Depth to Aquifer 2d. Travel Time	5	0.0	
	35	0.0	
2e. Potential to Release [lines 2a(2b + 2c + 2d)]	500	0.0	
3. Likelihood of Release (higher of lines 1 and 2e)	550		0.0
Naste Characteristics:			
4. Toxicity/Mobility	(a)	0.0	
5. Hazardous Waste Quantity	(a)	10.0	
6. Waste Characteristics	100		0.0
Targets:			
7. Nearest Well	(b)	0.0	
8. Population:			
8a. Level I Concentrations	(b)	0.0	
8b. Level II Concentrations	(b)	0.0	
8c. Potential Contamination	(b)	0.0	
8d. Population (lines 8a + 8b + 8c)	(b)	0.0	
9. Resources	5	0.0	
10. Targets (lines 7 + 8d + 9)	(b)		0.0
Drinking Water Threat Score:	(,		0.0
11. Drinking Water Threat Score ([lines 3 x 6 x 10]/82,500, subject to max of 100)	100		0.0
Human Food Chain Threat	100		0.0
Likelihood of Release:			
	EEO	0.0	
12. Likelihood of Release (same value as line 3) Waste Characteristics:	550	0.0	
	4.5	0.0	
13. Toxicity/Mobility/Persistence/Bioaccumulation	(a)	0.0	
14. Hazardous Waste Quantity	(a)	10.0	
15. Waste Characteristics	1000		0.0
Targets:			
16. Food Chain Individual	50	0.0	
17. Population			
17a. Level I Concentration	(b)	0.0	
17b. Level II Concentration	(b)	0.0	
17c. Potential Human Food Chain Contamination	(b)	0.0	
17d. Population (lines 17a + 17b + 17c)	(b)	0.0	
18. Targets (lines 16 + 17d)	(b)		0.0
Human Food Chain Threat Score:			
19. Human Food Chain Threat Score [(lines 12x15x18)/82,500,suject to max of 100]	100		0.0
Environmental Threat			
Likelihood of Release:			
20. Likelihood of Release (same value as line 3)	550		0.0
Waste Characteristics:	330		0.0
21. Ecosystem Toxicity/Persistence/Bioaccumulation	(a)	0.0	
	(a)		
22. Hazardous Waste Quantity	(a)	10.0	
23. Waste Characteristics	1000		0.0
Targets:			
24. Sensitive Environments			
24a. Level I Concentrations	(b)	0.0	
24b. Level II Concentrations	(b)	0.0	

24c. Potential Contamination	(b)	0.0	
24d. Sensitive Environments (lines 24a + 24b + 24c)	(b)	0.0	
25. Targets (value from line 24d)	(b)		0.0
Environmental Threat Score:			
26. Environmental Threat Score [(lines 20x23x25)/82,500 subject to a max of 60]	60		0.0
Ground Water to Surface Water Migration Component Score for a Watershed			
27. Watershed Score ^c (lines 11 + 19 + 28, subject to a max of 100)	100		0.0
28. Component Score $(S_{gs})^c$ (highest score from line 27 for all watersheds evaluated, subject to a max of 100)	100		0.0

Maximum value applies to waste characteristics category
 Maximum value not applicable
 Do not round to nearest integer

TABLE 5-1 SOIL EXPOSURE PATHWAY SCORESHEET				
Factor categories and factors	Maximum Value	Value A	ssigned	
Likelihood of Exposure:				
Likelihood of Exposure	550		0.0	
Waste Characteristics:				
2. Toxicity	(a)	10000.0		
Hazardous Waste Quantity	(a)	10.0		
4. Waste Characteristics	100		18.0	
Targets:				
5. Resident Individual	50			
6. Resident Population:				
6a. Level I Concentrations	(b)	0		
6b. Level II Concentrations	(b)			
6c. Population (lines 6a + 6b)	(b)			
7. Workers	15	5.0		
8. Resources	5			
9. Terrestrial Sensitive Environments	(c)			
10. Targets (lines 5 + 6c + 7 + 8 + 9)	(b)		5.0	
Resident Population Threat Score				
11. Resident Population Threat Score (lines 1 x 4 x 10)	(b)		0.0	
Nearby Population Threat	•			
Likelihood of Exposure:				
12. Attractiveness/Accessibility	100	0.0		
13. Area of Contamination	100	5.0		
14. Likelihood of Exposure	500		0.0	
Waste Characteristics:				
15. Toxicity	(a)	10000.0		
16. Hazardous Waste Quantity	(a)	10.0		
17. Waste Characteristics	100		18.0	
Targets:				
18. Nearby Individual	1	0.0		
19. Population Within 1 Mile	(b)	4.3		
20. Targets (lines 18 + 19)	(b)		4.3	
Nearby Population Threat Score				
21. Nearby Population Threat (lines 14 x 17 x 20)	(b)		0.0	
Soil Exposure Pathway Score:				
22. Pathway Score ^d (S _s), [lines (11+21)/82,500, subject to max of 100]	100		0.0	

^a Maximum value applies to waste characteristics category
^b Maximum value not applicable
^c No specific maximum value applies to factor. However, pathway score based solely on terrestrial sensitive environments is limited to a maximum of 60
^d Do not round to nearest integer

TABLE 6-1 AIR MIGRATION PATHWAY SCORESHEET				
Factor categories and factors	Maximum Value	Value A	ssigned	
Likelihood of Release:				
1. Observed Release	550	0.0		
2. Potential to Release:				
2a. Gas Potential to Release	500	360.0		
2b. Particulate Potential to Release	500	280.0		
2c. Potential to Release (higher of lines 2a and 2b)	500	360.0		
3. Likelihood of Release (higher of lines 1 and 2c)	550		360.0	
Waste Characteristics:				
4. Toxicity/Mobility	(a)	0.0		
5. Hazardous Waste Quantity	(a)	10.0		
6. Waste Characteristics	100		0.0	
Targets:				
7. Nearest Individual	50	20.0		
8. Population:				
8a. Level I Concentrations	(b)	0.0		
8b. Level II Concentrations	(b)	0.0		
8c. Potential Contamination	(c)	43.9		
8d. Population (lines 8a + 8b + 8c)	(b)	43.9		
9. Resources	5	0.0		
10. Sensitive Environments:				
10a. Actual Contamination	(c)	0.0		
10b. Potential Contamination	(c)	0.05		
10c. Sensitive Environments (lines 10a + 10b)	(c)	0.05		
11. Targets (lines 7 + 8d + 9 + 10c)	(b)	•	63.95	
Air Migration Pathway Score:				
12. Pathway Score (S _a) [(lines 3 x 6 x 11)/82,500] ^d	100		0.0	

a Maximum value applies to waste characteristics category
b Maximum value not applicable
cNo specific maximum value applies to factor. However, pathway score based solely on sensitive environments is limited to a maximum of 60.
d Do not round to nearest integer